

● ● ● ● ●
SOUTHWEST **SOLUTIONS** GROUP
business organization systems

SWIFTSPACE

Fast and Flexible workspace in seconds.



Specifications Guide and Price List

May 2013 Version 18

INDEX

Products & Pricing

| | |
|---------------------------------|--------------|
| 90 Degree Workstations | 1 |
| 120 Degree Workstations | 2 |
| 180 Degree Workstations | 3 |
| Specialty Workstations | 4 |
| Rendezvous Mobile Meeting Rooms | 5-6 |
| Mobile Tables | 7 |
| Mobile Table Tops | 8 |
| Bookcases & Pedestals | 9 |
| Communication & Privacy Panels | 10 |
| Mobile Wall Systems | 11 |
| Enhancements | 12-13 |
| General Specifications | 14 |
| Model Number Key | 15 |
| Model Selection Chart | 16-20 |

Applications

| | |
|---------------------------------|--------------|
| Handling of Electrical & Data | 21 |
| Height Adjustable Work Surfaces | 22 |
| Applications | 23-28 |

Models

| | |
|------------------------------|-----------|
| One, Two, Three | 29 |
| 6'X6' L-Shaped | 30 |
| 8'X8' L-Shaped | 31 |
| 6' Straight Surface | 32 |
| Space-saver L-Shaped | 33 |
| Space-saver Straight Surface | 34 |

Surfaces

| | |
|----------------------------|-----------|
| Laminate Colour Chart | 35 |
| Powdercoating Colour Chart | 36 |

Accessories

| | |
|-------------|--------------|
| Accessories | 37-38 |
|-------------|--------------|

Information

| | |
|--|-----------|
| Condition of Sales, Return Policy & Warranty | 39 |
| Environmental Footprint | 40 |
| Ordering Information | 41 |

Products & Pricing

90 DEGREE WORKSTATIONS



Standard Workstation Sizes and Configurations

Space-saver L-Shaped Page 33

| Footprint | Model Name | Part Number | Price |
|-----------|------------|-----------------|---------|
| 54x54 | Social+ | SS90D2948L2948R | \$2,920 |
| 54x54 | Solo | SS90D4148L4148R | \$3,651 |
| 54x54 | Solo+ | SS90D5248L5248R | \$3,760 |
| 54x54 | Summit | SS90D6648L6648R | \$4,975 |

6X6' L-Shaped Page 30

| Footprint | Model Name | Part Number | Price |
|-----------|------------|-----------------|---------|
| 73x73 | Social+ | SS90D2966L2966R | \$3,652 |
| 73x73 | Solo | SS90D4166L4166R | \$4,534 |
| 73x73 | Solo+ | SS90D5266L5266R | \$4,677 |
| 73x73 | Summit | SS90D6666L6666R | \$5,375 |

8X8' L-Shaped Page 31

| Footprint | Model Name | Part Number | Price |
|-----------|------------|-----------------|---------|
| 96x96 | Social+ | SS90D2990L2990R | \$4,194 |
| 96x96 | Solo | SS90D4190L4190R | \$4,953 |
| 96x96 | Solo+ | SS90D5290L5290R | \$5,112 |
| 96x96 | Summit | SS90D6690L6690R | \$6,167 |



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
Options for upper surfaces
can be inserted into any
of the panel locations as
indicated below.

WWBM
White board laminate one
side and laminate on other

WBF
White board one side and
fabric on other the other

WBB
White board on both sides

STB
Fabric covered tackboard
on both sides

Please be sure to specify
the Alpha location and
fabric name for each of
the panels when ordering.



For stations with only two
upper panels left side is
"A" and right side is "F"

To view fabric panel
choices go to:
www.cfstinson.com
and click on "Panel."

Upper Panel Options

Solo

| Part Number | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|-------------|----------------------|---------------|---------------|
| SSSWBM | \$56 | \$33 | \$38 |
| SSSWBF | \$122 | \$87 | \$100 |
| SSSWBB | \$85 | \$52 | \$60 |
| SSSSTB | \$192 | \$137 | \$158 |

Solo+

| Part Number | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|-------------|----------------------|---------------|---------------|
| SSS+WWBM | \$148 | \$62 | \$71 |
| SSS+WBF | \$250 | \$140 | \$161 |
| SSS+WBB | \$205 | \$101 | \$116 |
| SSS+STB | \$352 | \$218 | \$250 |

Summit

| Part Number | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|-------------|----------------------|---------------|---------------|
| SSS++WWBM | \$148 | \$62 | \$71 |
| SSS++WBF | \$250 | \$140 | \$161 |
| SSS++WBB | \$205 | \$101 | \$116 |
| SSS++STB | \$352 | \$218 | \$250 |

Products & Pricing

120 DEGREE WORKSTATIONS



Standard Workstation Sizes and Configurations

Space-saver L-Shaped Page 33

| Footprint | Model Name | Part Number | Price |
|-----------|------------|------------------|---------|
| 54x54 | Social+ | SS120D2948L2948R | \$2,920 |
| 54x54 | Solo | SS120D4148L4148R | \$3,651 |
| 54x54 | Solo+ | SS120D5248L5248R | \$3,760 |
| 54x54 | Summit | SS120D6648L6648R | \$4,975 |

6X6' L-Shaped Page 30

| Footprint | Model Name | Part Number | Price |
|-----------|------------|------------------|---------|
| 73x73 | Social+ | SS120D2966L2966R | \$3,652 |
| 73x73 | Solo | SS120D4166L4166R | \$4,534 |
| 73x73 | Solo+ | SS120D5266L5266R | \$4,677 |
| 73x73 | Summit | SS120D6666L6666R | \$5,375 |

8X8' L-Shaped Page 31

| Footprint | Model Name | Part Number | Price |
|-----------|------------|------------------|---------|
| 96x96 | Social+ | SS120D2990L2990R | \$4,194 |
| 96x96 | Solo | SS120D4190L4190R | \$4,953 |
| 96x96 | Solo+ | SS120D5290L5290R | \$5,112 |
| 96x96 | Summit | SS120D6690L6690R | \$6,167 |



REFERENCE
 See our Surfaces Section
 on Pages 35-36

REFERENCE
 Options for upper surfaces
 can be inserted into any
 of the panel locations as
 indicated below.

WWBM
 White board laminate one
 side and laminate on other

WBF
 White board one side and
 fabric on other the other

WBB
 White board on both sides

STB
 Fabric covered tackboard
 on both sides

Please be sure to specify
 the Alpha location and
 fabric name for each of
 the panels when ordering.



For stations with only two
 upper panels left side is
 "A" and right side is "F"

To view fabric panel
 choices go to:
www.cfstinson.com
 and click on "Panel."

Upper Panel Options

Solo

| Part Number | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|-------------|----------------------|---------------|---------------|
| SSSWBM | \$56 | \$33 | \$38 |
| SSSWBF | \$122 | \$87 | \$100 |
| SSSWBB | \$85 | \$52 | \$60 |
| SSSSTB | \$192 | \$137 | \$158 |

Solo+

| Part Number | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|-------------|----------------------|---------------|---------------|
| SSS+WWBM | \$148 | \$62 | \$71 |
| SSS+WBF | \$250 | \$140 | \$161 |
| SSS+WBB | \$205 | \$101 | \$116 |
| SSS+STB | \$352 | \$218 | \$250 |

Summit

| Part Number | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|-------------|----------------------|---------------|---------------|
| SSS++WWBM | \$148 | \$62 | \$71 |
| SSS++WBF | \$250 | \$140 | \$161 |
| SSS++WBB | \$205 | \$101 | \$116 |
| SSS++STB | \$352 | \$218 | \$250 |

Products & Pricing

180 DEGREE WORKSTATIONS



Standard Workstation Sizes and Configurations

Space-saver Straight Surface Page 35

| Footprint | Model Name | Part Number | Price |
|-----------|------------|-----------------|---------|
| 55x40 | Social+ | SS90D2948L2934R | \$2,867 |
| 55x40 | Solo | SS90D4148L4134R | \$3,444 |
| 55x40 | Solo+ | SS90D5248L5234R | \$3,552 |

| Footprint | Model Name | Part Number | Price |
|-----------|------------|-----------------|---------|
| 40x55 | Social+ | SS90D2934L2948R | \$2,867 |
| 40x55 | Solo | SS90D4134L4148R | \$3,444 |
| 40x55 | Solo+ | SS90D5234L5248R | \$3,552 |

6' Straight Surface Page 32

| Footprint | Model Name | Part Number | Price |
|-----------|------------|-----------------|---------|
| 73x40 | Social+ | SS90D2966L2934R | \$2,950 |
| 73x40 | Solo | SS90D4166L4134R | \$3,544 |
| 73x40 | Solo+ | SS90D5266L5234R | \$3,655 |
| 73x40 | Summit | SS90D6666L6634R | \$5,918 |

| Footprint | Model Name | Part Number | Price |
|-----------|------------|-----------------|---------|
| 40x73 | Social+ | SS90D2934L2966R | \$2,950 |
| 40x73 | Solo | SS90D4134L4166R | \$3,544 |
| 40x73 | Solo+ | SS90D5234L5266R | \$3,655 |
| 40x73 | Summit | SS90D6634L6666R | \$5,918 |



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
Options for upper surfaces
can be inserted into any
of the panel locations as
indicated below.


WWBM
White board laminate one
side and laminate on other

WBF
White board one side and
fabric on other the other

WBB
White board on both sides

STB
Fabric covered tackboard
on both sides

Please be sure to specify
the Alpha location and
fabric name for each of
the panels when ordering.



For stations with only two
upper panels left side is
"A" and right side is "F"

To view fabric panel
choices go to:
www.cfstinson.com
and click on "Panel."

Upper Panel Options

| Solo | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|--------------------|----------------------|---------------|---------------|
| Part Number | | | |
| SSSWWBM | \$56 | \$33 | \$38 |
| SSSWBF | \$122 | \$87 | \$100 |
| SSSWBB | \$85 | \$52 | \$60 |
| SSSSTB | \$192 | \$137 | \$158 |

| Solo+ | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|--------------------|----------------------|---------------|---------------|
| Part Number | | | |
| SSS+WWBM | \$148 | \$62 | \$71 |
| SSS+WBF | \$250 | \$140 | \$161 |
| SSS+WBB | \$205 | \$101 | \$116 |
| SSS+STB | \$352 | \$218 | \$250 |

| Summit | Space-saver L-Shaped | 6X6' L-Shaped | 8X8' L-Shaped |
|--------------------|----------------------|---------------|---------------|
| Part Number | | | |
| SSS++WWBM | \$148 | \$62 | \$71 |
| SSS++WBF | \$250 | \$140 | \$161 |
| SSS++WBB | \$205 | \$101 | \$116 |
| SSS++STB | \$352 | \$218 | \$250 |

Fast and Flexible workspace in seconds.

Products & Pricing

SPECIALTY WORKSTATIONS



Access Point

Footprint
34x34
34x34

Part Number
SS4134L2934R no Transaction Top
SS4134LTR2934R with Transaction Top

Price
\$2,610
\$2,964



REFERENCE
See our Surfaces Section
on Pages 35-36


Products & Pricing

RENDEZVOUS MOBILE MEETING ROOMS



In Laminate

ORGANIZATIONS ARE LOOKING TO DESIGN SPACE THAT GIVES THEIR EMPLOYEES COMFORTABLE INFORMAL SPACE TO MEET.



In Fabric

Shown with Optional Privacy Panels

Imagine the possibilities a completely mobile meeting space that can sit up to six people in a "booth" like setting in under a minute. Designed by the Swiftspace Design Team the Rendezvous mobile meeting booth does just that!

Designed using the patented technology of the popular Swiftspace workstation the Rendezvous has the same major benefits that our customers love. Think about a mobile self contained wall and seating system that can be setup in seconds, by anyone, with no tools! No longer required it can be folded back up in seconds and stored out of the way. Sound like a Facility Planner's dream?

Specifications

The overall footprint of the booth is:

- Wall height - 60" (option to increase to 72" with Acrylic Privacy Panels)
- Footprint when open - 81" x 79"
- Footprint when closed - 23" x 74"
- Seat height - 19"
- Seat depth - 20"
- Seat width per side - 75.5"
- Seat weight rating per side - 1,000 lbs.
- Door opening - 41.5"

Products & Pricing

RENDEZVOUS MOBILE MEETING ROOMS



Specifications

Standard Construction is:

- Frame is constructed of 40mm lightweight grey aluminum.
- Outside upper and lower panels are made from 4mm melamine available in any of our 15 standard colours.
- Inside upper and lower panels are made from 4mm available melamine in any of our 15 standard colours.
- The casters are 63.5 mm in diameter with grey non-marking rubber wheels that swivel and lock.
- Seat and back are made with a ½" plywood core covered in 3 inch foam.
- Seat and back upholstery can be ordered from any of our standard seating upholstery available from CF Stinson. To view go to www.cfstinson.com and select "Seating." The seat and back can be ordered with different upholstery. Fabric can be ordered from other suppliers however an upcharge will be applied for cost in excess of \$25 per yard.

Options:

- Outside panel walls can also be ordered in any of our standard panel fabrics available from CF Stinson. Fabric can be ordered from other suppliers however an upcharge will be applied for cost in excess of \$25 per yard. To view fabric panel choices go to: www.cfstinson.com and click on "Panel."
- Inside panel upper walls can be ordered with a whiteboard, semi-transparent polycarbonate, or any of our standard panel fabrics available from CF Stinson. Fabric can be ordered from other suppliers however an upcharge will be applied for cost in excess of \$25 per yard.

Accessories. To enhance user experience the Rendezvous can be ordered with:

- Powerbar with 6 outlets and 15 ft power cord
- Personal lighting
- Storage cover
- Panel mount for TV/Monitor screen

| Part Number | Description | Price |
|-------------|------------------------------|----------|
| SSMB8179LAM | with Laminate Outside Uppers | \$11,750 |
| SSMB8179FAB | with Fabric Outside Uppers | \$12,750 |

| Options | Price |
|---|--------------------------|
| Upcharge for 12" Privacy Panel in Satin Ice Acrylic | \$1,080 |
| Powerbar with 6 outlets and 15 ft power cord | \$124 |
| Personal lighting | \$474 |
| Storage cover | \$275 (takes two covers) |
| Panel mount for TV/Monitor screen | \$298 |



REFERENCE
See our Surfaces Section
on Pages 35-36



Recommended table size and shape for booth is 30'x72."

Peninsula with a **SS7726** T-Flip-Top Base.

SS3072PEN

Products & Pricing

MOBILE TABLES



T-Flip-Top Base with Casters and Hand Release Specifications

Functional, high quality and economical, this base is perfect for many applications. It comes standard with casters and a handle release that mounts on the underside of the table, and is centered on the table length close to the edge of the table. The single handle allows for one individual to release both mechanisms simultaneously and flip the table up. Available in a number of standard powder coat colours.

The table can be made adjustable with the addition of an adjustable spring clip.

Allows 9" of height adjustment from 24.75" to 33.75", in 1" increments. To order, add prefix **AH** to part #.

List Price upcharge to add height adjustability to the above bases \$200

| Part Number | Column Diameter | Base Diameter | Recommended Top Depth | Base Spread | Weight |
|-------------|-----------------|---------------|-----------------------|-------------|---------|
| SS7716 | 2" | 2" | 16-17" | 16" | 10 lbs. |
| SS7718 | 2" | 2" | 18-22" | 18" | 11 lbs. |
| SS7722 | 2" | 2" | 23-30" | 22" | 11 lbs. |
| SS7726 | 2" | 2" | 30-36" | 26" | 12 lbs. |

List Price \$795

THE PROCESS
 TO CREATE
 YOUR OWN
 SWIFTSPACE
 MOBILE TABLE
 IS AS SIMPLE
 AS SETTING UP
 OUR STATION.
 JUST COMBINE
 A BASE AND TOP
 AND YOU ARE
 GOOD TO GO!

Adjustable Height Hand Crank

Adjustability is a necessity in many environments. When there are multiple users of tables and desks, each person may need to position the table surface to an appropriate height to suit his or her own needs. Swiftspace offers two height ranges that easily adjust to provide a user with individual comfort and versatility. Our bases are adjustable in length from 45" to 68" to accommodate tables that are 45" to 72" long and tops that are 24" to 36" deep. The bases come with locking 2" casters. The table comes in two finish options Black or Silver. Durability and fine craftsmanship are standard.

Specifications

- Adjustable frame size to accommodate multiple table lengths
- Hand crank location on front of table
- Handle retracts under table
- Maximum recommended lift weight 210 lbs.

| Part Number | Recommended Top Size | Base Spread | Height Range | Weight |
|-------------|------------------------|-------------|-----------------|---------|
| SS1000-1001 | 24" x 45" to 24" x 72" | 23.5" | 24" to 33.5" | 52 lbs. |
| | 30" x 45" to 30" x 72" | 23.5" | 24" to 33.5" | 52 lbs. |
| | 36" x 45" to 36" x 72" | 23.5" | 24" to 33.5" | 52 lbs. |
| SS1000-1001 | 24" x 45" to 24" x 72" | 23.5" | 28.5" to 41.75" | 55 lbs. |
| | 30" x 45" to 30" x 72" | 23.5" | 28.5" to 41.75" | 55 lbs. |
| | 36" x 45" to 36" x 72" | 23.5" | 28.5" to 41.75" | 55 lbs. |

List Price \$950



Products & Pricing

MOBILE TABLE TOPS



Table Top Shapes

Swiftspace tops are available as standard in three widths, three lengths and three shapes. The tops can be ordered either in high pressure laminate with a 2mm PVC edge (L) powder coated high density fibreboard (P) or with a whiteboard surface (W).



Rectangular



Oval



Peninsula



REFERENCE
See our Surfaces Section
on Pages 35-36

Table Pricelist

| Part Number | Surface | Width | Length | Shape | List Price |
|-------------|-------------|-------|--------|-------------|------------|
| SS2445SQ | L or P or W | 24" | 48" | Rectangular | \$435 |
| SS2460SQ | L or P or W | 24" | 60" | Rectangular | \$476 |
| SS2472SQ | L or P or W | 24" | 72" | Rectangular | \$517 |
| SS3045SQ | L or P or W | 30" | 48" | Rectangular | \$476 |
| SS3060SQ | L or P or W | 30" | 60" | Rectangular | \$527 |
| SS3072SQ | L or P or W | 30" | 72" | Rectangular | \$578 |
| SS3645SQ | L or P or W | 36" | 48" | Rectangular | \$517 |
| SS3660SQ | L or P or W | 36" | 60" | Rectangular | \$578 |
| SS3672SQ | L or P or W | 36" | 72" | Rectangular | \$639 |
| <hr/> | | | | | |
| SS2445OV | L or P or W | 24" | 48" | Oval | \$442 |
| SS2460OV | L or P or W | 24" | 60" | Oval | \$483 |
| SS2472OV | L or P or W | 24" | 72" | Oval | \$527 |
| SS3045OV | L or P or W | 30" | 48" | Oval | \$486 |
| SS3060OV | L or P or W | 30" | 60" | Oval | \$544 |
| SS3072OV | L or P or W | 30" | 72" | Oval | \$598 |
| SS3645OV | L or P or W | 36" | 48" | Oval | \$530 |
| SS3660OV | L or P or W | 36" | 60" | Oval | \$598 |
| SS3672OV | L or P or W | 36" | 72" | Oval | \$663 |
| <hr/> | | | | | |
| SS2445PEN | L or P or W | 24" | 48" | Peninsula | \$442 |
| SS2460PEN | L or P or W | 24" | 60" | Peninsula | \$483 |
| SS2472PEN | L or P or W | 24" | 72" | Peninsula | \$527 |
| SS3045PEN | L or P or W | 30" | 48" | Peninsula | \$486 |
| SS3060PEN | L or P or W | 30" | 60" | Peninsula | \$544 |
| SS3072PEN | L or P or W | 30" | 72" | Peninsula | \$598 |
| SS3645PEN | L or P or W | 36" | 48" | Peninsula | \$530 |
| SS3660PEN | L or P or W | 36" | 60" | Peninsula | \$598 |
| SS3672PEN | L or P or W | 36" | 72" | Peninsula | \$663 |

Products & Pricing

BOOKCASES & PEDESTALS



SSBFC Box/File with Cushion

SSBBF Box/Box/File

SSBFTowerR Right Facing

SSFFTowerDR Facing

REFERENCE Models are available in a number of Powdercoated colours. Platinum is the colour that best matches the station frame colour.

Specifications

| Part Number | Width | Height | Weight | List Price |
|---|-------|--------|----------|------------|
| SSFF | 15" | 27.5" | 80 lbs. | \$612 |
| SSBBF | 15" | 27.5" | 85 lbs. | \$649 |
| SSBFC | 15" | 24" | 70 lbs. | \$781 |
| SSBFTowerR | 15" | 51" | 120 lbs. | \$1,180 |
| SSBFTowerL | 15" | 51" | 120 lbs. | \$1,180 |
| SSFFTowerDR | 15" | 70.5" | 125 lbs. | \$1,270 |
| (NOTE dimensions of top sections 15" W x 40" H includes coat rod) | | | | |
| SSFFTowerDL | 15" | 70.5" | 125 lbs. | \$1,270 |
| (NOTE dimensions of top sections 15" W x 40" H includes coat rod) | | | | |
| SSHFB | - | - | - | \$11/pair |

All our cushion top peds come standard with a solid (non-patterned) black polyester fabric or any of C.F. Stinson's New Hempstead range of fabrics without an additional upcharge. To view go to www.cfstinson.com and click on "Seating." For customer's own material (COM) fabric selection, please contact Customer Service to arrange for fabric to be directly shipped to our cushion top supplier.

Products & Pricing

COMMUNICATION & PRIVACY PANELS

Shown in Kesington Maple with a whiteboard in the Right Panel



REFERENCE
 See our Surfaces Section
 on Pages 35-36



Shown with a single station



Shown in use with two stations

Specifications

The Mobile Communication/Privacy Panel can be ordered in any of the standard laminates or with a whiteboard in either the left or right panels.

| Part Number | Height | Length | List Price |
|-------------|--------|--------|------------|
| SSMPCB5260 | 52" | 60" | \$2,040 |


Swiftspace Specifications Guide

Products & Pricing **Communications & Privacy Panels 10**

Products & Pricing

MOBILE WALL SYSTEMS

USE THE SWIFTSPEACE™ MOBILE WALL SYSTEM TO CREATE PRIVACY IN SECONDS WITH NO TOOLS. ALL YOU NEED TO DO IS GIVE US THE SIZE OF THE AREA YOU REQUIRE. WE WILL DO THE REST.



REFERENCE
See our Surfaces Section
on Page 35

The wall system ships on casters in its folded form just like our stations. Our standard wall heights are 60" and 72" but additional privacy can be added used our panel extension product.

Mobile Wall Pricelist

| Part Number | Width | Height | Surface | Fabric Required YDS. | List Price |
|-------------|-------|--------|----------|----------------------|------------|
| SS1860LAM | 18" | 60" | Laminate | - | \$872 |
| SS1860FAB | 18" | 60" | Fabric | 1.20 | \$1,152 |
| SS1872LAM | 18" | 72" | Laminate | - | \$972 |
| SS1872FAB | 18" | 72" | Fabric | 1.50 | \$1,175 |
| SS2460LAM | 24" | 60" | Laminate | - | \$892 |
| SS2460FAB | 24" | 60" | Fabric | 1.40 | \$1,252 |
| SS2472LAM | 24" | 72" | Laminate | - | \$972 |
| SS2472FAB | 24" | 72" | Fabric | 1.70 | \$1,277 |
| SS3060LAM | 30" | 60" | Laminate | - | \$1,004 |
| SS3060FAB | 30" | 60" | Fabric | 1.80 | \$1,432 |
| SS3072LAM | 30" | 72" | Laminate | - | \$1,064 |
| SS3072FAB | 30" | 72" | Fabric | 2.25 | \$1,460 |
| SS3660LAM | 36" | 60" | Laminate | - | \$1,020 |
| SS3660FAB | 36" | 60" | Fabric | 3.50 | \$1,620 |
| SS3672LAM | 36" | 72" | Laminate | - | \$1,088 |
| SS3672FAB | 36" | 72" | Fabric | 4.25 | \$1,652 |
| SS4260LAM | 42" | 60" | Laminate | - | \$1,044 |
| SS4260FAB | 42" | 60" | Fabric | 3.50 | \$1,644 |
| SS4272LAM | 42" | 72" | Laminate | - | \$1,108 |
| SS4272FAB | 42" | 72" | Fabric | 4.25 | \$1,677 |
| SS4860LAM | 48" | 60" | Laminate | - | \$1,064 |
| SS4860FAB | 48" | 60" | Fabric | 3.50 | \$1,664 |
| SS4872LAM | 48" | 72" | Laminate | - | \$1,120 |
| SS4872FAB | 48" | 72" | Fabric | 4.25 | \$1,697 |

Products & Pricing

ENHANCEMENTS

Overheads



Swiftspace overheads can be added to any of the 66" high walls. The Overheads are made from metal and can be ordered in the same colours as the Mobile Pedestals and Storage Towers. *REFERENCE The Overheads are not attached to the stations during initial shipping.*

| Part Number | Width | Depth | Height | List Price |
|-------------|-------|-------|--------|------------|
| SS0VH | 30" | 13.5" | 15" | \$789 |

Keyboard Arms & Trays



Any of our standard, single surface, or space-saver models can be shipped with a keyboard arm and tray attached. The arm is unique in that it has been designed to remain on the station even in its closed position.

| Part Number | Description | List Price |
|-------------|--------------------------|------------|
| SS5733SW | Economy Arm | \$252 |
| SS8404SW | Ovation Sit-stand Arm | \$375 |
| SS6460SW | Keyboard Tray with Mouse | \$298 |



Panel Extenders



Bowed



Rectangular

The Panel Extenders are made from 3/16 inch Satin Ice Acrylic. The panel holders can be installed at the plant or in the field. The panels themselves can be easily removed by loosening the thumbwheels in the holders. *REFERENCE The panels come in 11 and 23 inch heights and in lengths to fit our 48 inch, 68 inch, and 90 inch walls*

| Part Number | Shape | Height | Width | List Price |
|-------------|--------|--------|-------|------------|
| SSPEX1248 | B or R | 11" | 47" | \$233 |
| SSPEX1268 | B or R | 11" | 60" | \$360 |
| SSPEX1290 | B or R | 11" | 90" | \$450 |
| SSPEX2448 | B or R | 23" | 47" | \$379 |
| SSPEX2468 | B or R | 23" | 60" | \$623 |
| SSPEX2490 | B or R | 23" | 90" | \$675 |

Products & Pricing

ENHANCEMENTS

Flip- Over Top



Available with Straight Edge (FS) or Bow Front Edge (FB)

The Flip-over top option can be ordered on both left and right worksurfaces or in combination with a regular or space-saver Social+, Solo, or Solo+ wall height. The Flip-over top can be ordered with a straight or bow front edge which works well for reception use.

When ordering the Flip-over Top add "FS or FB" after "L" and /or "R" using the regular or space-saver Swiftspace Model number. There is no change in List Price.

For example Model Number for the Station shown above which has a Flip-over straight worksurface on left and regular Solo on right would be: **SS2968LFS4168R**

Transaction Top



The Transaction top option can be ordered on either left and right worksurfaces on both Solo regular or space-saver models

Transaction Top Length either 32" or 64" Transaction Top Depth 16"
(Transaction Tops length and depth can be customized please call Customer Service)
Add on Unit Weight for Transaction Top - 25 lbs. for 32" or 50 lbs. for 64"

When ordering the Transaction Top add "TR" after "L" and /or "R" using the regular or space-saver Swiftspace Model number add \$390 List for 32" or \$750 List for 64".

For example Model Number for the Solo Station shown above with a Transaction Top on the left side would be: **SS5266L4166RTR**

Fold Down



The Fold Down upper panel option can be ordered on either left and right worksurfaces on both Solo regular, space savers and straight surface models in all lengths.

When ordering the Fold Down option add "FD" after "L" and /or "R" using standard Swiftspace Model number and add \$456 per side to the List Price.

Model Number for the Solo Station shown with a Fold Down upper panel on the left side would be: **SS4168LFD4148R** List Price \$4,990.



Products & Pricing

GENERAL SPECIFICATIONS

Surfaces

Worksurface tops and panels are available in 15 standard finishes.

Standard Construction

- Frame is constructed of 40mm lightweight grey aluminum
- Upper panels are made of 4mm Twin Wall Clear Polycarbonate, see pricing section for conversion of any upper panel to a whiteboard or fabric covered tackboard.
- Lower panels are made from 4mm melamine panels.
- Tops can be specified as 25mm thick high pressure laminate with a particle board core or 25mm thick powder-coated MDF.
- Casters are 63.5mm in diameter with grey rubber wheels that swivel and lock

Customization

Your Swiftspace station can be configured just as easily as it is to setup.

If you can't find a length and height in our sizing chart on pages 16-20 you can choose to have the station length and height customized to fit your sizing needs. For special orders please contact Customer Service for pricing and lead-times.

Worksurface top and melamine panel colours can be specified from other than Wilsonart, who is our preferred supplier. For special colours please contact Customer Service as lead-times and pricing may be affected.

With different wall height and length combinations your Swiftspace station can be ordered in a number of different combinations. To help make specification easy we have created an ordering chart based on the Model Number Key.

Products & Pricing

MODEL NUMBER KEY

| Left Side | | | Right Side | | Worksurface | | Panel |
|-----------|-----------------|-----------------|-----------------|-----------------|---------------|------------|---------------|
| Prefix | Height (inches) | Length (inches) | Height (inches) | Length (inches) | (Colour Code) | (HP or PC) | (Colour Code) |
| SS | 29 | 66L | 29 | 66R | WSC# | WC Type | LPC# |
| 1 | 2 | 3 4 | 5 | 6 7 | 8 | 9 | 10 |

Instructions on Using the Model Number Key

Column 1 in key - the first two digits is always "SS"

Column 2 in key - the next two digits indicate the height of the wall in inches of the left side

Column 3 in key - the next two digits indicate the length of the wall in inches of the left side

Column 4 in key - is always "L" for left

Column 5 in key - the next two digits indicate the height of the wall in inches of the right side

Column 6 in key - the next two digits indicate the length of the wall in inches of the right side

Column 7 in key - is always "R" for right

Column 8 in key - the next four digits indicate the worksurface colour code from pages 35-36

Column 9 in key - the next two digits indicate the worksurface material type of either "HP" for High Pressure or "PC" for Powder-coated Multi Density Fibreboard

Column 10 in key - the next four digits indicate the lower lower panel colour from page 35



REFERENCE
See our Surfaces Section
on Pages 35-36

All options, enhancements and accessories should be entered as separate line items under each model number.

Products & Pricing

MODEL SELECTION CHART

Use the following charts to find pricing and sizing for various non-standard Swiftspace™ station configurations.

| Prefix | Left Side | | Right Side | | Wall Angle (degrees) | Footprint (inches) | Weight (lbs) | List Price (\$) |
|--------|-----------------|-----------------|-----------------|-----------------|----------------------|--------------------|--------------|-----------------|
| | Height (inches) | Length (inches) | Height (inches) | Length (inches) | | | | |
| SS | 29 | 48 | 29 | 48 | 90 | 55 x 55 | 125 | 2920 |
| SS | 29 | 66 | 29 | 48 | 90 | 73 x 55 | 135 | 3638 |
| SS | 29 | 48 | 29 | 66 | 90 | 55 x 73 | 135 | 3638 |
| SS | 29 | 66 | 29 | 66 | 90 | 73 x 73 | 145 | 3652 |
| SS | 29 | 90 | 29 | 90 | 90 | 96 x 96 | 200 | 4194 |
| SS | 29 | 48 | 29 | 90 | 90 | 55 x 96 | 135 | 3750 |
| SS | 29 | 90 | 29 | 48 | 90 | 96 x 55 | 135 | 3750 |
| SS | 29 | 90 | 29 | 66 | 90 | 96 x 73 | 180 | 3967 |
| SS | 29 | 66 | 29 | 90 | 90 | 73 x 96 | 180 | 3967 |
| SS | 29 | 48 | 29 | 48 | 120 | 49 x 92 | 125 | 2920 |
| SS | 29 | 66 | 29 | 66 | 120 | 55 x 133 | 165 | 3652 |
| SS | 29 | 48 | 29 | 34 | 90 | 55 x 40 | 115 | 2867 |
| SS | 29 | 66 | 29 | 34 | 90 | 73 x 40 | 135 | 2950 |
| SS | 29 | 90 | 29 | 34 | 90 | 96 x 40 | 175 | 3150 |
| SS | 29 | 34 | 29 | 48 | 90 | 40 x 55 | 115 | 2867 |
| SS | 29 | 34 | 29 | 66 | 90 | 40 x 73 | 135 | 2950 |
| SS | 29 | 34 | 29 | 90 | 90 | 40 x 90 | 175 | 3150 |
| SS | 41 | 48 | 41 | 48 | 90 | 55 x 55 | 130 | 3651 |
| SS | 41 | 66 | 41 | 48 | 90 | 73 x 55 | 205 | 4094 |
| SS | 41 | 48 | 41 | 66 | 90 | 55 x 73 | 150 | 4094 |
| SS | 41 | 66 | 41 | 66 | 90 | 73 x 73 | 175 | 4534 |
| SS | 41 | 90 | 41 | 90 | 90 | 96 x 96 | 235 | 4953 |
| SS | 41 | 48 | 41 | 90 | 90 | 55 x 96 | 180 | 4750 |
| SS | 41 | 90 | 41 | 48 | 90 | 96 x 55 | 180 | 4750 |
| SS | 41 | 90 | 41 | 66 | 90 | 96 x 73 | 205 | 4661 |
| SS | 41 | 66 | 41 | 90 | 90 | 73 x 96 | 205 | 4661 |
| SS | 41 | 48 | 41 | 48 | 120 | 49 x 92 | 145 | 3651 |
| SS | 41 | 66 | 41 | 66 | 120 | 55 x 133 | 175 | 4534 |
| SS | 41 | 48 | 41 | 34 | 90 | 55 x 40 | 125 | 3444 |
| SS | 41 | 66 | 41 | 34 | 90 | 73 x 40 | 147 | 3544 |
| SS | 41 | 90 | 41 | 34 | 90 | 96 x 40 | 185 | 3650 |
| SS | 41 | 34 | 41 | 48 | 90 | 40 x 55 | 125 | 3444 |
| SS | 41 | 34 | 41 | 66 | 90 | 40 x 73 | 147 | 3544 |
| SS | 41 | 34 | 41 | 90 | 90 | 40 x 96 | 185 | 3650 |
| SS | 52 | 48 | 52 | 48 | 90 | 55 x 55 | 155 | 3760 |
| SS | 52 | 66 | 52 | 48 | 90 | 73 x 55 | 170 | 4824 |
| SS | 52 | 48 | 52 | 66 | 90 | 55 x 73 | 170 | 4824 |
| SS | 52 | 66 | 52 | 66 | 90 | 73 x 73 | 205 | 4677 |
| SS | 52 | 90 | 52 | 90 | 90 | 96 x 96 | 250 | 5112 |
| SS | 52 | 48 | 52 | 90 | 90 | 55 x 96 | 145 | 4824 |
| SS | 52 | 90 | 52 | 48 | 90 | 96 x 55 | 145 | 4824 |
| SS | 52 | 90 | 52 | 66 | 90 | 96 x 73 | 225 | 4842 |
| SS | 52 | 66 | 52 | 90 | 90 | 73 x 96 | 225 | 4842 |
| SS | 52 | 48 | 52 | 48 | 120 | 49 x 92 | 155 | 3760 |
| SS | 52 | 66 | 52 | 66 | 120 | 55 x 133 | 205 | 4677 |

Products & Pricing

MODEL SELECTION CHART

| Prefix | Left Side | | Right Side | | Wall Angle (degrees) | Footprint (inches) | Weight (lbs) | List Price (\$) |
|--------|-----------------|-----------------|-----------------|-----------------|----------------------|--------------------|--------------|-----------------|
| | Height (inches) | Length (inches) | Height (inches) | Length (inches) | | | | |
| SS | 52 | 48 | 52 | 34 | 90 | 55 x 40 | 130 | 3552 |
| SS | 52 | 66 | 52 | 34 | 90 | 73 x 40 | 155 | 3655 |
| SS | 52 | 90 | 52 | 34 | 90 | 96 x 40 | 185 | 3750 |
| SS | 52 | 34 | 52 | 48 | 90 | 40 x 55 | 130 | 3552 |
| SS | 52 | 34 | 52 | 66 | 90 | 40 x 73 | 155 | 3655 |
| SS | 52 | 34 | 52 | 90 | 90 | 40 x 96 | 185 | 3750 |
| SS | 66 | 48 | 66 | 48 | 90 | 55 x 55 | 165 | 4975 |
| SS | 66 | 66 | 66 | 48 | 90 | 73 x 55 | 195 | 5048 |
| SS | 66 | 48 | 66 | 66 | 90 | 55 x 73 | 195 | 5048 |
| SS | 66 | 66 | 66 | 66 | 90 | 73 x 73 | 235 | 5375 |
| SS | 66 | 90 | 66 | 90 | 90 | 96 x 96 | 290 | 6167 |
| SS | 66 | 48 | 66 | 90 | 90 | 55 x 96 | 230 | 5615 |
| SS | 66 | 90 | 66 | 48 | 90 | 96 x 55 | 230 | 5615 |
| SS | 66 | 90 | 66 | 66 | 90 | 96 x 73 | 255 | 5715 |
| SS | 66 | 66 | 66 | 90 | 90 | 73 x 96 | 255 | 5715 |
| SS | 66 | 48 | 66 | 48 | 120 | 49 x 92 | 175 | 4975 |
| SS | 66 | 66 | 66 | 66 | 120 | 55 x 133 | 235 | 5375 |
| SS | 66 | 48 | 66 | 34 | 90 | 55 x 40 | 135 | 5718 |
| SS | 66 | 66 | 66 | 34 | 90 | 73 x 40 | 170 | 5818 |
| SS | 66 | 90 | 66 | 34 | 90 | 96 x 40 | 200 | 5918 |
| SS | 66 | 34 | 66 | 48 | 90 | 40 x 55 | 135 | 5718 |
| SS | 66 | 34 | 66 | 66 | 90 | 40 x 73 | 170 | 5818 |
| SS | 66 | 34 | 66 | 90 | 90 | 40 x 96 | 200 | 5918 |
| SS | 41 | 48 | 29 | 48 | 90 | 55 x 55 | 125 | 3601 |
| SS | 41 | 66 | 29 | 48 | 90 | 73 x 55 | 135 | 3850 |
| SS | 41 | 48 | 29 | 66 | 90 | 55 x 73 | 135 | 3850 |
| SS | 41 | 66 | 29 | 66 | 90 | 73 x 73 | 145 | 4093 |
| SS | 41 | 90 | 29 | 90 | 90 | 96 x 96 | 200 | 4901 |
| SS | 41 | 48 | 29 | 90 | 90 | 55 x 96 | 135 | 4790 |
| SS | 41 | 90 | 29 | 48 | 90 | 96 x 55 | 135 | 4790 |
| SS | 41 | 90 | 29 | 66 | 90 | 96 x 73 | 180 | 4850 |
| SS | 41 | 66 | 29 | 90 | 90 | 73 x 96 | 180 | 4850 |
| SS | 41 | 48 | 29 | 48 | 120 | 49 x 92 | 125 | 3601 |
| SS | 41 | 66 | 29 | 66 | 120 | 55 x 133 | 165 | 4093 |
| SS | 41 | 48 | 29 | 34 | 90 | 55 x 40 | 135 | 3375 |
| SS | 41 | 66 | 29 | 34 | 90 | 73 x 40 | 135 | 3495 |
| SS | 41 | 90 | 29 | 34 | 90 | 96 x 40 | 175 | 3575 |
| SS | 41 | 34 | 29 | 48 | 90 | 40 x 55 | 135 | 3375 |
| SS | 41 | 34 | 29 | 66 | 90 | 40 x 73 | 135 | 3495 |
| SS | 41 | 34 | 29 | 90 | 90 | 40 x 96 | 175 | 3575 |
| SS | 29 | 48 | 41 | 48 | 90 | 55 x 55 | 125 | 3601 |
| SS | 29 | 66 | 41 | 48 | 90 | 73 x 55 | 135 | 3850 |
| SS | 29 | 48 | 41 | 66 | 90 | 55 x 73 | 135 | 3850 |
| SS | 29 | 66 | 41 | 66 | 90 | 73 x 73 | 145 | 4093 |
| SS | 29 | 90 | 41 | 90 | 90 | 96 x 96 | 200 | 4901 |

Products & Pricing

MODEL SELECTION CHART

| Prefix | Left Side | | Right Side | | Wall Angle (degrees) | Footprint (inches) | Weight (lbs) | List Price (\$) |
|--------|-----------------|-----------------|-----------------|-----------------|----------------------|--------------------|--------------|-----------------|
| | Height (inches) | Length (inches) | Height (inches) | Length (inches) | | | | |
| SS | 29 | 48 | 41 | 90 | 90 | 55 x 96 | 135 | 4790 |
| SS | 29 | 90 | 41 | 48 | 90 | 96 x 55 | 135 | 4790 |
| SS | 29 | 90 | 41 | 66 | 90 | 96 x 73 | 180 | 4850 |
| SS | 29 | 66 | 41 | 90 | 90 | 73 x 96 | 180 | 4850 |
| SS | 29 | 48 | 41 | 48 | 120 | 49 x 92 | 125 | 3601 |
| SS | 29 | 66 | 41 | 66 | 120 | 55 x 133 | 165 | 4093 |
| SS | 29 | 48 | 41 | 34 | 90 | 55 x 40 | 135 | 3375 |
| SS | 29 | 66 | 41 | 34 | 90 | 73 x 40 | 135 | 3495 |
| SS | 29 | 90 | 41 | 34 | 90 | 96 x 40 | 175 | 3575 |
| SS | 29 | 34 | 41 | 48 | 90 | 40 x 55 | 135 | 3375 |
| SS | 29 | 34 | 41 | 66 | 90 | 40 x 73 | 135 | 3495 |
| SS | 29 | 34 | 41 | 90 | 90 | 40 x 96 | 175 | 3575 |
| SS | 52 | 48 | 29 | 48 | 90 | 55 x 55 | 125 | 3660 |
| SS | 52 | 66 | 29 | 48 | 90 | 73 x 55 | 135 | 4724 |
| SS | 52 | 48 | 29 | 66 | 90 | 55 x 73 | 135 | 4724 |
| SS | 52 | 66 | 29 | 66 | 90 | 73 x 73 | 145 | 4750 |
| SS | 52 | 90 | 29 | 90 | 90 | 96 x 96 | 200 | 4975 |
| SS | 52 | 48 | 29 | 90 | 90 | 55 x 96 | 135 | 4775 |
| SS | 52 | 90 | 29 | 48 | 90 | 96 x 55 | 135 | 4775 |
| SS | 52 | 90 | 29 | 66 | 90 | 96 x 73 | 180 | 4825 |
| SS | 52 | 66 | 29 | 90 | 90 | 73 x 96 | 180 | 4825 |
| SS | 52 | 48 | 29 | 48 | 120 | 49 x 92 | 155 | 3660 |
| SS | 52 | 66 | 29 | 66 | 120 | 55 x 133 | 165 | 4165 |
| SS | 52 | 48 | 29 | 34 | 90 | 55 x 40 | 135 | 3452 |
| SS | 52 | 66 | 29 | 34 | 90 | 73 x 40 | 135 | 3555 |
| SS | 52 | 90 | 29 | 34 | 90 | 96 x 40 | 175 | 3650 |
| SS | 52 | 34 | 29 | 48 | 90 | 40 x 55 | 135 | 3452 |
| SS | 52 | 34 | 29 | 66 | 90 | 40 x 73 | 135 | 3555 |
| SS | 52 | 34 | 29 | 90 | 90 | 40 x 96 | 175 | 3650 |
| SS | 29 | 48 | 52 | 48 | 90 | 55 x 55 | 125 | 3660 |
| SS | 29 | 66 | 52 | 48 | 90 | 73 x 55 | 135 | 4724 |
| SS | 29 | 48 | 52 | 66 | 90 | 55 x 73 | 135 | 4724 |
| SS | 29 | 66 | 52 | 66 | 90 | 73 x 73 | 145 | 4750 |
| SS | 29 | 90 | 52 | 90 | 90 | 96 x 96 | 200 | 4975 |
| SS | 29 | 48 | 52 | 90 | 90 | 55 x 96 | 135 | 4775 |
| SS | 29 | 90 | 52 | 48 | 90 | 96 x 55 | 135 | 4775 |
| SS | 29 | 90 | 52 | 66 | 90 | 96 x 73 | 180 | 4825 |
| SS | 29 | 66 | 52 | 90 | 90 | 73 x 96 | 180 | 4825 |
| SS | 29 | 48 | 52 | 48 | 120 | 49 x 92 | 145 | 3660 |
| SS | 29 | 66 | 52 | 66 | 120 | 55 x 133 | 165 | 4165 |
| SS | 29 | 48 | 52 | 34 | 90 | 55 x 40 | 135 | 3452 |
| SS | 29 | 66 | 52 | 34 | 90 | 73 x 40 | 135 | 3555 |
| SS | 29 | 90 | 52 | 34 | 90 | 96 x 40 | 175 | 3650 |
| SS | 29 | 34 | 52 | 48 | 90 | 40 x 55 | 135 | 3452 |
| SS | 29 | 34 | 52 | 66 | 90 | 40 x 73 | 135 | 3555 |

Products & Pricing

MODEL SELECTION CHART

| Prefix | Left Side | | Right Side | | Wall Angle (degrees) | Footprint (inches) | Weight (lbs) | List Price (\$) |
|--------|-----------------|-----------------|-----------------|-----------------|----------------------|--------------------|--------------|-----------------|
| | Height (inches) | Length (inches) | Height (inches) | Length (inches) | | | | |
| SS | 52 | 66 | 41 | 68 | 120 | 55 x 133 | 175 | 4627 |
| SS | 52 | 48 | 41 | 34 | 90 | 55 x 40 | 115 | 3502 |
| SS | 52 | 66 | 41 | 34 | 90 | 73 x 40 | 147 | 3601 |
| SS | 52 | 90 | 41 | 34 | 90 | 96 x 40 | 185 | 3700 |
| SS | 52 | 34 | 41 | 48 | 90 | 40 x 55 | 115 | 3502 |
| SS | 52 | 34 | 41 | 66 | 90 | 40 x 73 | 147 | 3601 |
| SS | 52 | 34 | 41 | 90 | 90 | 40 x 96 | 185 | 3700 |
| SS | 41 | 48 | 52 | 48 | 90 | 55 x 55 | 125 | 3710 |
| SS | 41 | 66 | 52 | 48 | 90 | 73 x 55 | 205 | 3725 |
| SS | 41 | 48 | 52 | 66 | 90 | 55 x 73 | 150 | 3725 |
| SS | 41 | 66 | 52 | 66 | 90 | 73 x 73 | 175 | 4627 |
| SS | 41 | 90 | 52 | 90 | 90 | 96 x 96 | 235 | 5075 |
| SS | 41 | 48 | 52 | 90 | 90 | 55 x 96 | 180 | 4724 |
| SS | 41 | 90 | 52 | 48 | 90 | 96 x 55 | 180 | 4724 |
| SS | 41 | 90 | 52 | 66 | 90 | 96 x 73 | 205 | 4742 |
| SS | 41 | 66 | 52 | 90 | 90 | 73 x 96 | 205 | 4742 |
| SS | 41 | 48 | 52 | 48 | 120 | 49 x 92 | 125 | 3710 |
| SS | 41 | 66 | 52 | 66 | 120 | 55 x 133 | 175 | 4627 |
| SS | 41 | 48 | 52 | 34 | 90 | 55 x 40 | 115 | 3502 |
| SS | 41 | 66 | 52 | 34 | 90 | 73 x 40 | 147 | 3601 |
| SS | 41 | 90 | 52 | 34 | 90 | 96 x 40 | 185 | 3700 |
| SS | 41 | 34 | 52 | 48 | 90 | 40 x 55 | 115 | 3502 |
| SS | 41 | 34 | 52 | 66 | 90 | 40 x 73 | 147 | 3601 |
| SS | 41 | 34 | 52 | 90 | 90 | 40 x 96 | 185 | 3700 |
| SS | 66 | 48 | 41 | 48 | 90 | 55 x 55 | 125 | 4875 |
| SS | 66 | 66 | 41 | 48 | 90 | 73 x 55 | 205 | 4948 |
| SS | 66 | 48 | 41 | 66 | 90 | 55 x 73 | 150 | 4948 |
| SS | 66 | 66 | 41 | 66 | 90 | 73 x 73 | 175 | 5275 |
| SS | 66 | 90 | 41 | 90 | 90 | 96 x 96 | 235 | 6067 |
| SS | 66 | 48 | 41 | 90 | 90 | 55 x 96 | 180 | 5515 |
| SS | 66 | 90 | 41 | 48 | 90 | 96 x 55 | 180 | 5515 |
| SS | 66 | 90 | 41 | 66 | 90 | 96 x 73 | 205 | 5615 |
| SS | 66 | 66 | 41 | 90 | 90 | 73 x 96 | 205 | 5615 |
| SS | 66 | 48 | 41 | 48 | 120 | 49 x 92 | 125 | 4875 |
| SS | 66 | 66 | 41 | 66 | 120 | 55 x 133 | 175 | 4948 |
| SS | 66 | 48 | 41 | 34 | 90 | 55 x 40 | 115 | 5618 |
| SS | 66 | 66 | 41 | 34 | 90 | 73 x 40 | 147 | 5718 |
| SS | 66 | 90 | 41 | 34 | 90 | 96 x 40 | 185 | 5818 |
| SS | 66 | 34 | 41 | 48 | 90 | 40 x 55 | 115 | 5618 |
| SS | 66 | 34 | 41 | 66 | 90 | 40 x 73 | 147 | 5718 |
| SS | 66 | 34 | 41 | 90 | 90 | 40 x 96 | 185 | 5818 |
| SS | 41 | 48 | 66 | 48 | 90 | 55 x 55 | 125 | 4875 |
| SS | 41 | 66 | 66 | 48 | 90 | 73 x 55 | 205 | 5948 |
| SS | 41 | 48 | 66 | 66 | 90 | 55 x 73 | 150 | 5948 |
| SS | 41 | 66 | 66 | 66 | 90 | 73 x 73 | 175 | 5275 |

Products & Pricing

MODEL SELECTION CHART

| Prefix | Left Side | | Right Side | | Wall Angle (degrees) | Footprint (inches) | Weight (lbs) | List Price (\$) |
|--------|-----------------|-----------------|-----------------|-----------------|----------------------|--------------------|--------------|-----------------|
| | Height (inches) | Length (inches) | Height (inches) | Length (inches) | | | | |
| SS | 41 | 90 | 66 | 90 | 90 | 96 x 96 | 235 | 6067 |
| SS | 41 | 48 | 66 | 90 | 90 | 55 x 96 | 180 | 5515 |
| SS | 41 | 90 | 66 | 48 | 90 | 96 x 55 | 180 | 5515 |
| SS | 41 | 90 | 66 | 66 | 90 | 96 x 73 | 205 | 5615 |
| SS | 41 | 66 | 66 | 90 | 90 | 73 x 96 | 205 | 5615 |
| SS | 41 | 48 | 66 | 48 | 120 | 49 x 92 | 125 | 4875 |
| SS | 41 | 66 | 66 | 66 | 120 | 55 x 133 | 175 | 4948 |
| SS | 41 | 48 | 66 | 34 | 90 | 55 x 40 | 115 | 5618 |
| SS | 41 | 66 | 66 | 34 | 90 | 73 x 40 | 147 | 5718 |
| SS | 41 | 90 | 66 | 34 | 90 | 96 x 40 | 185 | 5818 |
| SS | 41 | 34 | 66 | 48 | 90 | 40 x 55 | 115 | 5618 |
| SS | 41 | 34 | 66 | 66 | 90 | 40 x 73 | 147 | 5718 |
| SS | 41 | 34 | 66 | 90 | 90 | 40 x 96 | 185 | 5818 |
| SS | 52 | 90 | 66 | 48 | 90 | 96 x 55 | 180 | 5565 |
| SS | 52 | 90 | 66 | 66 | 90 | 96 x 73 | 205 | 5665 |
| SS | 52 | 66 | 66 | 90 | 90 | 73 x 96 | 205 | 5665 |
| SS | 52 | 48 | 66 | 48 | 120 | 49 x 92 | 125 | 4925 |
| SS | 52 | 66 | 66 | 66 | 120 | 55 x 133 | 175 | 5325 |
| SS | 52 | 48 | 66 | 34 | 90 | 55 x 40 | 115 | 5668 |
| SS | 52 | 66 | 66 | 34 | 90 | 73 x 40 | 147 | 5768 |
| SS | 52 | 90 | 66 | 34 | 90 | 96 x 40 | 185 | 5868 |
| SS | 52 | 34 | 66 | 48 | 90 | 40 x 55 | 115 | 5668 |
| SS | 52 | 34 | 66 | 66 | 90 | 40 x 73 | 147 | 5768 |
| SS | 52 | 34 | 66 | 90 | 90 | 40 x 96 | 185 | 5868 |
| SS | 66 | 90 | 52 | 48 | 90 | 96 x 55 | 180 | 5565 |
| SS | 66 | 90 | 52 | 66 | 90 | 96 x 73 | 205 | 5665 |
| SS | 66 | 66 | 52 | 90 | 90 | 73 x 96 | 205 | 5665 |
| SS | 66 | 48 | 52 | 48 | 120 | 49 x 92 | 125 | 4925 |
| SS | 66 | 66 | 52 | 66 | 120 | 55 x 133 | 175 | 5325 |
| SS | 66 | 48 | 52 | 34 | 90 | 55 x 40 | 115 | 5668 |
| SS | 66 | 66 | 52 | 34 | 90 | 73 x 40 | 147 | 5768 |
| SS | 66 | 90 | 52 | 34 | 90 | 96 x 40 | 185 | 5868 |
| SS | 66 | 34 | 52 | 48 | 90 | 40 x 55 | 115 | 5668 |
| SS | 66 | 34 | 52 | 66 | 90 | 40 x 73 | 147 | 5768 |
| SS | 66 | 34 | 52 | 90 | 90 | 40 x 96 | 185 | 5868 |

Applications

HANDLING OF ELECTRICAL & DATA

ONE OF THE QUESTIONS WE ARE OFTEN ASKED IS:
 “WHAT IS THE BEST WAY TO HANDLE ELECTRICAL AND
 DATA REQUIREMENTS IN A SWIFTSPEACE™ STATION?”

To best answer this question one needs to break it down into two components; getting the power/data to the station, and how it is handled in the station.

Getting Electrical/Data to the Station

Electrical and Data needs to get to the station in the same manner as other typical desking systems/cubicles using either an infloor system, powerpoles, or by coming in through a wall panel.

However, if you want to take full advantage of the flexibility and mobility of the Swiftspace you need to be able to reconfigure a space in minutes. The best way to do is to use an in or above floor power/data system to create a complete grid in the room. Once the grid is in place it the entire space becomes a “plug and play” scenario. We recommend taking a look at Connectrac at www.connectrac.com as an option. Connectrac is installed above the floor, and provides an electrical and data distribution system that houses an 8 wire 4 circuit system with a capacity of up to 18 CAT-6 cables. Height at the centre is only ¾”. Tapered MDF panels under the carpet extend to create a gentle slope, eliminating them as a safety threat and making them ADA compliant.

In the Swiftspace Station


Data: If a hardwired connection is required for data (instead of wireless) then a data cable can run from wherever the data enters the space and along the underside of the worksurface to the centre of the workarea. Each station has cable ties on the underside of all surfaces to hold the cable in place and out of visual view.

Electrical: In order to avoid some of the legislative constraints created by hardwired power supplies the distribution of power in the station is handled through the use of a separate add on surge protected powerbar. This powerbar can be supplied by the end-user or can be ordered from Swiftspace. See page 38 for our Powerbar option. The manufacturer of our Powerbar suggests that you can “daisy chain” up to 4 stations at a time. However, the real constraint is the 15amp surge protection once the cumulative power draw of all of the devices reaches 15 amps then the breaker will go. As an FYI most laptops draw about 2-3 amps when using all of its functions at once.

Examples of how different layouts can be achieved with the same pre-determined power/data grid in the floor:



4 Standard Power Outlets in the Floor



Applications

HEIGHT ADJUSTABLE WORK SURFACES

MANY ORGANIZATIONS ARE NOW REQUIRED TO PROVIDE HEIGHT ADJUSTABLE WORK SURFACES FOR THEIR EMPLOYEES AS PART OF THEIR OVERALL ERGONOMIC PROGRAM.

This is because adjusting ones posture throughout the day from sitting to standing complies with the recommendations of today's industry experts. Research has proven that movement and its associated flexing of the spine improves one circulation and lubricates one's joints, which reduces long term muscle fatigue which makes for a better work environment.

Height adjustability can be achieved in a Swiftspace station in two ways:

- The first is to order any of our stations with a work surface on one side and no surface on the other. Then add in our height adjustable table with a work surface and now you have one side fixed and the other height adjustable. See pages 7 and 8.
- The second is to order our height adjustable work surface that clips right on to the station vertical panel. The fastening method ensures that it is securely locked on place. The mechanism has an adjustment range from 27" to 47". As the station has a number of different height locations on the panel starting as low as 24". The Swiftspace Height Adjust Surface features a level position throughout the range of height adjustment, an infinite number of stop positions, and a safe one inch clearance from the panel and adjacent surface at all times. To fold up the station you just lift off the adjustable height surface no tools required.

To order the clip on adjustable height surface add **ADJL** (Left) or **ADJR** (Right) to our standard model number and add \$1,190 to the List Price of the station.

level



above



below



APPLICATIONS

Visit our Design Centre on the website at www.swiftspaceinc.com for additional applications.

SWIFTSPACE

Fast And Flexible Workspace In Seconds



4 Station Office Layout



APPLICATIONS



Private Manager Stations



Mobile Wall Office

APPLICATIONS




APPLICATIONS

4 Person Study Carrel



Private Medical Review Area



APPLICATIONS

Folding Privacy Classrooms



Fliptop + Height Adjust Tables




Mobile Privacy Wall



APPLICATIONS

Rendezvous With Outside Fabric



Easily Configured Meeting Space



Reception Station



Models

ONE, TWO, THREE

SWIFTSPACE™ WORKSTATIONS OFFER
A FAST AND FLEXIBLE WORK SPACE
SOLUTION FOR BOTH OFFICE AND
PRODUCTION FACILITIES

A unique patented folding workspace incorporates all of the interior components to a lightweight but strong frame, mounted to swivel casters.

About Us

Swiftspace™ is a Canadian Company located in Ayr Ontario. The company was formed out of the belief that workers still want to have a work space they can call their own. The issue for employers is that today's work spaces are too complex and labour intensive to set-up, require specialty installation, and are inflexible, and immobile.

Our Mission:

To create nimble but functional workspaces that can be set up by everyone.

Vision:

We will be the company that takes rigid workspace situations and transforms them into simple, fast, and flexible solutions.

Values:

- We will be innovators on the way we transform space
- We will value the contributions of our employees
- We will never take our customers for granted
- We will value product quality and safety over anything else
- We will think about the environmental impact of everything we do

Swiftspace™ workstations have been tested and meet ANSI/BIFMA X5.6-2010 Standards. Test results are available upon request by contacting Customer Service.



Compatible Accessories

Area Task Light
Binder Holder

Power Bar
Pen/Pencil Holder

Station Cover

Accessory Rail/Slot Wall

Models

6'X6' L-SHAPED



Summit



Solo+



Solo



Social+

Dimensions

Summit

| | | | |
|----------------------------|-----|--------------------------|---------------|
| Overall Height | 66" | Overall Footprint | 72.7" x 72.7" |
| Length Long Side | 66" | Length Short Side | 66" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 235 lbs. |

Solo+

| | | | |
|----------------------------|-----|--------------------------|---------------|
| Overall Height | 52" | Overall Footprint | 72.7" x 72.7" |
| Length Long Side | 66" | Length Short Side | 66" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 205 lbs. |

Solo

| | | | |
|----------------------------|-----|--------------------------|---------------|
| Overall Height | 41" | Overall Footprint | 72.7" x 72.7" |
| Length Long Side | 66" | Length Short Side | 66" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 175 lbs. |

Social+

| | | | |
|----------------------------|-----|--------------------------|---------------|
| Overall Height | 29" | Overall Footprint | 72.7" x 72.7" |
| Length Long Side | 66" | Length Short Side | 66" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 145 lbs. |



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Construction

| | |
|--|---|
| Frame | 40mm lightweight grey aluminum |
| Upper Panels Summit, Solo+ & Solo | 4mm Twin Wall Clear Polycarbonate |
| Lower Panels | 4mm melamine panels |
| Tops | 25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF |
| Casters | 63.5mm in diameter with grey rubber wheels that swivel and lock |

Models

8'X8' L-SHAPED



Dimensions

Summit

| | | | |
|----------------------------|-----|--------------------------|-----------|
| Overall Height | 66" | Overall Footprint | 96" x 96" |
| Length Long Side | 90" | Length Short Side | 90" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 290 lbs. |

Solo+

| | | | |
|----------------------------|-----|--------------------------|-----------|
| Overall Height | 52" | Overall Footprint | 96" x 96" |
| Length Long Side | 90" | Length Short Side | 90" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 250 lbs. |

Solo

| | | | |
|----------------------------|-----|--------------------------|-----------|
| Overall Height | 41" | Overall Footprint | 96" x 96" |
| Length Long Side | 90" | Length Short Side | 90" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 235 lbs. |

Social+

| | | | |
|----------------------------|-----|--------------------------|-----------|
| Overall Height | 29" | Overall Footprint | 96" x 96" |
| Length Long Side | 90" | Length Short Side | 90" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 200 lbs. |



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Construction

| | |
|--|---|
| Frame | 40mm lightweight grey aluminum |
| Upper Panels Summit, Solo+ & Solo | 4mm Twin Wall Clear Polycarbonate |
| Lower Panels | 4mm melamine panels |
| Tops | 25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF |
| Casters | 63.5mm in diameter with grey rubber wheels that swivel and lock |

Models

6' STRAIGHT SURFACE



Shown with long side on left and short side on right. Also available with short side on left and long side on right.

Dimensions

| | | | |
|---------------------|-----|-------------------|---------------|
| Summit | | | |
| Overall Height | 66" | Overall Footprint | 72.7" x 40.3" |
| Length Long Side | 66" | Length Short Side | 34" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 200 lbs. |
| <hr/> | | | |
| Solo+ | | | |
| Overall Height | 52" | Overall Footprint | 72.7" x 40.3" |
| Length Long Side | 66" | Length Short Side | 34" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 185 lbs. |
| <hr/> | | | |
| Solo | | | |
| Overall Height | 41" | Overall Footprint | 72.7" x 40.3" |
| Length Long Side | 66" | Length Short Side | 34" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 185 lbs. |
| <hr/> | | | |
| Social+ | | | |
| Overall Height | 29" | Overall Footprint | 72.7" x 40.3" |
| Length Long Side | 66" | Length Short Side | 34" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 175 lbs. |



REFERENCE
See our Surfaces Section
on Pages 35-36

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Construction

| | |
|--|---|
| Frame | 40mm lightweight grey aluminum |
| Upper Panels Summit, Solo+ & Solo | 4mm Twin Wall Clear Polycarbonate |
| Lower Panels | 4mm melamine panels |
| Tops | 25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF |
| Casters | 63.5mm in diameter with grey rubber wheels that swivel and lock |

Models

SPACE-SAVER L-SHAPED



Dimensions

Solo+

| | | | |
|----------------------------|-----|--------------------------|---------------|
| Overall Height | 52" | Overall Footprint | 54.5" x 54.5" |
| Length Long Side | 48" | Length Short Side | 48" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 155 lbs. |

Solo

| | | | |
|----------------------------|-----|--------------------------|---------------|
| Overall Height | 41" | Overall Footprint | 54.5" x 54.5" |
| Length Long Side | 48" | Length Short Side | 48" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 130 lbs. |

Social+

| | | | |
|----------------------------|-----|--------------------------|---------------|
| Overall Height | 29" | Overall Footprint | 54.5" x 54.5" |
| Length Long Side | 48" | Length Short Side | 48" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 125 lbs. |



REFERENCE
See our Surfaces Section
on Pages 35-36

Construction

| | |
|--------------------------------------|--|
| Frame | 40mm lightweight grey aluminum |
| Upper Panels Solo+ & Solo | 4mm Twin Wall Clear Polycarbonate |
| Lower Panels | 4mm melamine panels |
| Tops | 25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF |
| Casters | 63.5mm in diameter with grey rubber wheels that swivel and lock |

REFERENCE
See options page 2 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Models

SPACE-SAVER STRAIGHT SURFACE



Shown with long side on left and short side on right. Also available with short side on left and long side on right.

Dimensions

Solo+

| | | | |
|----------------------------|-----|--------------------------|--------------|
| Overall Height | 52" | Overall Footprint | 54.5"x 40.3" |
| Length Long Side | 48" | Length Short Side | 34" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 130 lbs. |

Solo

| | | | |
|----------------------------|-----|--------------------------|--------------|
| Overall Height | 41" | Overall Footprint | 54.5"x 40.3" |
| Length Long Side | 48" | Length Short Side | 34" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 125 lbs. |

Social+

| | | | |
|----------------------------|-----|--------------------------|--------------|
| Overall Height | 29" | Overall Footprint | 54.5"x 40.3" |
| Length Long Side | 48" | Length Short Side | 34" |
| Depth Open | 27" | Depth Closed | 10" |
| Work Surface Height | 29" | Unit Weight | 115 lbs. |



REFERENCE
See our Surfaces Section
on Pages 35-36

Construction

| | |
|--------------------------------------|--|
| Frame | 40mm lightweight grey aluminum |
| Upper Panels Solo+ & Solo | 4mm Twin Wall Clear Polycarbonate |
| Lower Panels | 4mm melamine panels |
| Tops | 25mm thick high pressure laminate with a particle board core and 1mm edging or 25mm thick powdercoated MDF |
| Casters | 63.5mm in diameter with grey rubber wheels that swivel and lock |


REFERENCE
See options page 3 for
conversion of any upper
panel to a whiteboard or
fabric covered tackboard.

Surfaces

WORKSURFACE AND PANEL LAMINATE SELECTIONS



Colour Chart

| Wilsonart Match | Swiftspace Code | Default Edge | Swatch |
|---------------------------|----------------------------|----------------------------------|---|
| 7054.60 Wild Cherry | CC01 WILDCHERRY | Rustik Cherry CODE - RC |  |
| 10776-60 Kensington Maple | CC02 MAPLE | Fusion Maple CODE - FM |  |
| 4783-60 White Tigris | CC03 WHITE TIGRIS | FolkStone CODE - FO |  |
| 4669-60 Natural Tigris | CC04 NATURAL TIGRIS | Sand CODE - SA |  |
| 4674-60 Evening Tigris | CC05 EVENING TIGRIS | Black CODE - BL |  |
| 4143-60 Neutral Glace | CC06 NEUTRALGLACE | Beige CODE - BE |  |
| D354-60 Designer White | CC07 WHITE | Designer White CODE - DW |  |
| D-439.60 Wallaby | CC08 PUMICE | Beige CODE - BE |  |
| 1572-60 Antique White | CC09 ANT.WHITE | Warm White CODE - WW |  |
| D327-60 Pepper Dust | CC10 PEPPERDUST | Pepper Dust CODE - PD |  |
| D381-60 Fashion Grey | CC12 GREY | Folk Stone CODE - FO |  |
| 4621-60 White Nebula | CC13 WHITE SPEC | Black CODE - BL |  |
| 7944-38 Madagascar | CC14 MADAGASCAR | Madagascar CODE - MD |  |
| 7952-38 Asian Sand | CC15 ASIAN SAND | Asian Sand CODE - AS |  |
| 7937-38 River Cherry | CC16 RIVER CHERRY | River Cherry CODE - RI |  |
| 7922.60 Brighton Walnut | CC21 WALNUT | NO EDGE MATCH/ USE BLACK DEFAULT |  |

To view a larger sample go to www.wilsonartcontract.com and enter in the code under the Wilsonart Match column.

Surfaces

WORKSURFACE POWDERCOATED SELECTIONS



Colour Chart

| Colour Name | Swiftspace Code | Swatch |
|--------------------------------|-----------------|---|
| CC22 Black | NX652N14-0 |  |
| CC23 Dark Grey | NX652A42-0 |  |
| CC24 Midnight Frost (Textured) | NX652NK4-0 |  |
| CC25 Mont Blanc (Textured) | NX552AK2-0 |  |
| CC26 Light Green | NX652G8-0 |  |
| CC27 Honey Clear | NX652H20-0 |  |
| CC28 Khaki Brown | NX552M12-0 |  |
| CC29 Café Cream | NX552H21-0 |  |
| CC30 Beige | NX652H10-0 |  |
| CC31 White | NX652W35-0 |  |
| CC32 Chantilly White | NX552W37-0 |  |
| CC33 Extra White | NX552W38-0 |  |
| CC34 Red | NX552R16-0 |  |

ACCESSORIES

Accessory Rail/Slot Wall



Made from aluminum, fastens to the interior uprights of the workwalls, length 34" or 45" for Space-saver
REFERENCE when ordering rail must specify location using diagram on page 3 and if you are ordering a custom wall length the accessory rail length will be adjusted for same price.

SSACR34 \$254
SSACR48 \$295

Binder Holder



Made from metal, fastens into the accessory rail, overall dimensions 10.5" wide x 10" deep x 8" high
REFERENCE holds up to 3 binders each 3 inches wide

SSBH1110 \$175

Pencil & Pen Holder



Made from metal, fastens into the accessory rail

SSPPH \$104

Legal Paper Shelf



Made from metal, fastens into the accessory rail, overall dimensions 17.75" wide x 9" deep

SSLPS189 \$119

Letter Paper Tray



Made from metal, fastens into the accessory rail, overall dimensions 13" wide x 9" deep

SSLPT139 \$107

ACCESSORIES

Monitor Arms (Single and Dual)



In silver, single screen holder, single or double extension, with 24" maximum reach and 13" counter-balanced arm height adjustment.

SSMAS \$298
SSMAD \$626

CPU Holder



Dual strap CPU Holder, can handle any CPU with width between 5" - 7" and up to 20" in height.

SSCPUH \$133

Add-On Privacy Panel



Available for both Solo and Solo+ heights the side privacy panel can be easily closed against the upper panel when not in use. Available in any of our upper panel materials.

SSAPP \$495

Area Task Light



17" long compact task light with 3W LED Light
REFERENCE Light connects to the centre bar of the station

SSATL \$474

Power Bar



Tripp-Lite Power Bar/ Suppressor with 6 right-angle outlets and 15ft power cord - Combination AC circuit breaker and 2 position on/off
REFERENCE Power Bar connects to the centre bar of the station

SSPB \$119

Station Cover



Pullover transportation and storage cover made from excess furniture grade vinyl.
REFERENCE If you are ordering a custom wall length the station cover size will be adjusted.

SSCSOLO \$275
SSCSOLOSPACE \$275

SSCSOLO+ \$275
SSCSOLO+SPACE \$275

Information

CONDITION OF SALES, RETURN POLICY & WARRANTY

Payment

All payments are fully due within 30 days after the date of shipment or pick up subject to the buyer passing credit approval. Buyer agrees not to withhold payment on any invoice because of partial delivery or open punch list items. A finance charge of 1-1/2 percent PER MONTH will be computed and added to all past due accounts. Annual percentage rate is 18 percent but in no event higher than the maximum allowed by law.

These terms and conditions of sale are those of Swiftspace Inc., a manufacturer established since 2009, whose business is the manufacturing of mobile workspaces.

Governing Provisions

All sales by **Swiftspace Inc.** ("Seller") are made subject to the following terms and conditions of sale. Seller objects to any additional or different terms contained in any purchase order or other communication previously or hereafter provided by buyer to Seller. No such additional or different terms will be of any force or effect; and buyer's placement of any order for goods to be provided by Seller constitutes buyer's unconditional acceptance of the following terms as the entire agreement between buyer and Seller with respect to the purchase and sale of such goods. The following terms and conditions, and any contract for the sale of goods by seller shall be governed by and construed in accordance with the laws of the province of Ontario, without reference to principles of conflicts of laws.

Prices

All prices are stated as list prices. All prices and minimum order requirements are subject to change without notice. Only authorized discounts may be applied at time of order.

F.O.B.

Unless otherwise agreed, all shipments and sales are made FOB AYR., CANADA. Freight is prepaid and added to your invoice as a separate line item. Freight quotes can be obtained on the Swiftspace website using the freight calculator.

Taxes

All sales, use, excise and other taxes applicable to the sale of the products shall be paid by buyer. If buyer claims an exemption from any tax, buyer shall submit to Seller the appropriate exemption certificates

Warranties

A. Lifetime Warranty on all aluminum parts and metal hardware parts like posts, connectors, cantilevers, without recourse. Other exposed panel components are not covered by this life time warranty and will be considered in section B of this paragraph.

B. Products purchased from Seller may be manufactured by third parties, which may or may not provide a warranty to the purchasers of their products. Seller agrees, upon request by buyer, to assign to buyer any and all such warranties, without recourse. Seller warrants that all products manufactured by Seller and supplied here under will conform to the specifications submitted by buyer, and that such goods will be manufactured and inspected in accordance with the generally accepted practices of companies in the business of manufacturing. Seller warrants that all products manufactured by it and supplied hereunder shall be free from defects in materials and workmanship for a period of 5 years from the date of shipment. If, within such period, any such product shall be proved to Seller's satisfaction to be defective, such product shall be repaired or replaced at Seller's option. Such repair or replacement shall be Seller's sole obligation and buyer's exclusive remedy hereunder, and shall be conditioned upon Seller's receiving written notice of any alleged defect within 10 days after its discovery and, at Seller's option, return of such products to Seller, F.O.B. its factory.

Except for the warranties set forth in this paragraph, seller shall have no other obligation or liability to buyer, and hereby disclaims, any express or implied warranty of any products, including but not limited to any implied warranty of merchantability or fitness for particular purpose.

Any description of the product, whether in writing or made orally by Seller or Seller's agent, are for the sole purpose of identifying the product and shall not be construed as an express warranty. Any suggestions by Seller or Seller's agent regarding use, application or suitability of the product shall not be construed as an express warranty unless confirmed to be such in writing by Seller.

Exclusion of Consequential Damages and Disclaimer of Liability

Except as otherwise agreed in writing, Seller's liability with respect to the products sold hereunder shall be limited to the warranty provided and, with respect to other performance of this contract, shall be limited to that part of the contract price allocable to the product (or part thereof) that gives rise to the claim.

A. Seller shall not be subject to any disclaims: (1) any other obligations or liabilities arising out of breach of contract, (2) any obligations whatsoever arising from tort claims (including negligence and strict liability) or arising under other theories of law with respect to products sold or services rendered by seller, or any undertakings, acts or omissions relating thereto, and (3) all consequential, incidental and contingent damages whatsoever.

B. Without limiting the generality of the foregoing, Seller specifically disclaims any liability for penalties (including administrative penalties), special or punitive damages, damages for lost profits or revenues, cost of any product recall, loss of use of products or any associated equipment, cost of capital, facilities or services, downtime, shutdown or slowdown costs, or for any other types of economic loss.

Clerical Errors

Seller reserves the right to correct all clerical errors in any quotation, order acknowledgement or invoice, during the entire sales process.

Information

ENVIRONMENTAL FOOTPRINT

Doing Our Part for a Better Planet

Swiftspace™ Inc. recognizes our responsibilities for the environment and to our local community. At Swiftspace™ Inc., the goal of acting responsibly on behalf of the environment has the same status as producing highest-quality products and meeting our customer's needs. Consequently, environmental protection is a definite part of every employee's work. We are committed to complying with all relevant environmental legislation and regulations at the local, regional and national levels. We also subscribe to other requirements that push our company to continually improve our environmental performance through appropriate initiatives, controls, provision of resources and training of employees. The aim is to minimize adverse impacts on the environment of our processes, products and services.

Management objectives are established and reviewed on a regular basis to implement our environmental policy. These are based on a commitment to the following six environmental principles:

1. The use of innovative product design to minimize the environmental impact of the use of natural resources, packaging, and transportation
2. Minimization of energy, material usage and the production of waste in our manufacturing processes
3. Effective, responsible waste management and disposal
4. Promoting the reuse and recycling of products
5. Maintaining a high awareness of environmental issues in the workforce.
6. Involving our suppliers, contractors and customers in environmental initiatives.

Materials

- All Wilsonart Laminates meet the Greenguard Standard for Low Emitting Products.
- The particleboard and medium density fibre-board substrates are CARB Compliant as they are produced using no added urea-formaldehyde resin process, and are made from 100% recycled and/or recovered (pre-consumer wood material).
- Adhesives used for laminating are solvent free water based PVA that meet Greenguard Indoor Air Quality Standards for Low Emitting Products for the Adhesive and Sealant Category.
- The production of the polycarbonate used in the upper panels uses over 99% of the raw material. Any edge trim or other scrap material is reground and utilized into other polycarbonate products. Typically the polycarbonate contains up to 20% of reground material.
- The powdercoat material meets the LEED Indoor Quality Credit 4.2 for Low Emitting Material Paints and Coatings and emits zero VOC when fully cured.
- Packaging is made of recycled content and designed for reuse where possible.
- Our vinyl station covers are 100% made from scrap seating upholstery gathered diverted from landfill.

Process/Design

- The stations can be set-up and then reconfigured hundreds of times without losing their structural integrity.
- All panel dimensions have been engineered to maximize the utilization of 4 x 8 sheets of material.
- During assembly of the final product no scrap or waste is generated.
- All components can be easily changed out in the field to new piece, which will increase life cycle of product.

Transportation/Carbon Footprint Savings

- Major Suppliers are located within a 50-mile radius of our facility.
- All aluminum and panel parts are shipped from major suppliers on reusable skids.
- Product ships on casters with a single cardboard sleeve. Therefore product does not require tow motors for offloading or putting in place.
- Product ships in approximately 15% of space of a standard workstation and has about 40-50% of the weight.
- No installers required for set-up or reconfiguration therefore reducing the fuel costs of installers travelling to site.



Information

ORDERING



SOUTHWEST **SOLUTIONS** GROUP

business organization systems

www.southwestsolutions.com

Toll Free 1-800-803-1083